

SUPPLEMENT TO

The Gazette of India



No. 40]

NEW DELHI, SATURDAY, OCTOBER 27, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 29th September, 1956

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
STATE PART (A) AND PART (C)							Assam						
Ajmer							"N.R."						
Bhopal							Bhopal						
TOTAL	.	—	—	TOTAL	2
(Estd. mid-year pop. 752 thousands.)							(Estd. mid-year pop. 867 thousands)						
Total for w/e 22-9-56	.	—	—	Total for w/e 22-9-56	1
Total for w/e 15-9-56	.	—	—	1	1	..	Total for w/e 15-9-56	1
7-yearly mean for the week	.	—	—	7-yearly mean for the week
Andhra							Bihar						
Srikakulam	6	1	..	Patna	.	148	46
Visakhapatnam	6	7	..	Gaya	.	57	22	6	2	..
Godavari East	10	5	..	Shahabad	.	105	78
Godavari West	7	Saran	.	25	4
Krishna	.	2	2	10	Muzaffarpur	.	5	3
Guntur	48	7	..	Monghyr	.	2
Nellore	5	2	..	Bhagalpur	.	16	7
Kurnool	7	2	..	Santal Parganas	.	18	8
Cuddaph	2	Hazaribagh	.	10	4
Anantapur	2	2	..	Manbhum	.	1
Chittoor	1	1	..	TOTAL	.	387	172	6	2	..
TOTAL	.	2	2	104	27	..	(Estd. mid-year pop. 42,198 thousands)						
(Estd. mid-year pop. 21,238 thousands)							Total for w/e 22-9-56	359	122	10	4
Total for w/e 22-9-56	16	9	92	26	Total for w/e 15-9-56	190	64	12	3
Total for w/e 15-9-56	15	6	98	24	7-yearly mean for the week	194	81	18	5
7-yearly mean for the week	175	89	47	13							

"Explanation of symbols used: C.=Cases; D.=Deaths; ..=Nil; N.R.=Information not Received."

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 29th September, 1956—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C. D. C. D. C. D.							C. D. C. D. C. D.						
Bombay							Himachal Pradesh						
Greater Bombay							"N. R."						
Surat							Madhya Pradesh						
East Khandesh							Chanda	17	8	5
West Khandesh							Chhindwara	2
Amreli							Hoshangabad	4	1
Nasik							Balaghat	20
Baroda							Raipur	8	4	1
TOTAL							Akola	6	2
(Estd. mid-year pop. 39,569 thousands)							TOTAL						
Total for w/e 22-9-56							29	13	34	2	
Total for w/e 15-9-56							(Estd. mid-year pop. 22,109 thousands.)						
7-yearly mean for the week							Total for w/e 22-9-56						
Coorg							"N. R."						
TOTAL							Total for w/e 15-9-56						
(Estd. mid-year pop. 262 thousands.)							"N. R."						
Total for w/e 22-9-56							7-yearly mean for the week						
Total for w/e 15-9-56							122	54	20	3	28	1	
7-yearly mean for the week							Madras						
Delhi							Madras	..	5	2	
TOTAL							Chingleput	..	8	4	
(Estd. mid-year pop. 1,744 thousands)							North Arcot	..	6	3	
Total for w/e 22-10-56							Salem	..	15	7	
Total for w/e 15-10-56							Coimbatore	..	5	
7-yearly mean for the week							South Arcot	..	36	4	
Explanation of symbols used :							Tanjore	..	2	
C.=Cases, D.=Deaths ; ..=Nil; "N. R."=Information not received;							Tiruchirappalli	..	9	1	
Estd. Census pop. 1,744 thousands)							Mathurai	..	4	
Total for w/e 22-9-56							Ramanathapuram	..	11	2	
Total for w/e 15-9-56							Tirunelveli	..	17	1	
7-yearly mean for the week							Malabar	..	4	1	
							TOTAL						
							122	25	
							(Estd. mid-year pop. 38,273 thousands)						
							Total for w/e 22-9-56						
							Total for w/e 15-9-56						
							7-yearly mean for the week						

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 29th September, 1956—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C. D. C. D. C. D.							C. D. C. D. C. D.						
Manipur							Tripura						
TOTAL	TOTAL
(Estd. mid-year pop. 613 thousands.)							(Estd. mid-year pop. 706 thousands.)						
Total for w/e 22-9-56	Total for w/e 22-9-56
Total for w/e 15-9-56	Total for w/e 15-9-56
Orissa							Uttar Pradesh						
Cuttack	68	40	Allahabad	3
Balasore	5	2	Bereilly	5	1
Puri	10	6	3	Banaras	1
Ganjam	51	24	Kanpur	3
Keonjhar	6	Faizabad	8	3
Dhankanal	9	7	1	Lucknow	21	8	1
Kalahandi	6	5	3	TOTAL	34	12	5	3
Baudh	1	(Estd. mid-year pop. 66,780 thousands.)						
TOTAL	149	84	14	Total for w/e 22-9-56	13	3	1	1	1	..
(Estd. mid-year pop. 15,114 thousands)							Total for w/e 15-9-56	17	9	3	1
Total for w/e 22-9-56	155	84	10	3	7-yearly mean for the week	65	31	3	1	4	3
Total for w/e 15-9-56	199	95	16	2	Vindhya Pradesh						
7 yearly mean for the week	22	6	28	3	TOTAL
Punjab (I)							(Estd. mid-year pop. 3,686 thousands)						
TOTAL	Total for w/e 22-9-56
							Total for w/e 15-9-56
(Census pop. 12,641 thousands)							West Bengal						
Total for w/e 22-9-56	"N.R."						
Total for w/e 15-9-56	3	Grand Total for States Parts (A) & (C) (Excluding Assam, Himachal, Pradesh & West Bengal)	637	289	346	83
7 yearly mean for the week	Corresponding (Estd. mid-year pop. 2,66,552 thousands)*.						
Pondicherry							Corresponding Total for w/e 22-9-56.†	610	240	268	84	1	..
TOTAL	38	18	Corresponding Total for w/e 15-9-56.†	452	186	322	108
							Corresponding 7-yearly mean for the week	889	398	215	46	32	4

Explanation of symbols used : —C.—Cases ; D.—Deaths ; .. = Nil ; "N. R." = Information not received.

* Excluding Pondicherry.

† Excluding Madhypradesh.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 29th September, 1956—*contd.*

CHOLERA								SMALLPOX								PLAGUE																															
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.																													
Mysore																Hyderabad																															
For w/e 22-9-56																For w/e 22-9-56																															
								Aurangabad								.								.																							
Bangalore																						
Mandya																						
Tumkur																						
TOTAL																						
Patiala and East Punjab States Union																Khammam																.								.							
For w/e 22-9-56																Hyderabad																.								.							
TOTAL																TOTAL																.								.							

Explanation of Symbols used : C.—Cases; D.—Deaths; ..—Nil.

NEW DELHI-2 (INDIA);

The 22nd October, 1956.

K. MITRA,
for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 29th September, 1956

Town	Mid-year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		P.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
STATES—(Parts A and C)															
Ajmer															
Ajmer	223	121	23·8	15	4	9	..	57	13·3	5		
Beawar	59	22	19·4	9	1	17	15·0	3		
TOTAL	282	143	26·4	24	5	9	..	74	13·6	8		
Andhra															
Adoni	63	46	38·0	1	3	..	12	9·9	3		
Anantpur†	
Anakapalli	46	32	36·2	5	..	1	..	25	28·3	6		
Bhimavaram	36	32	46·2	1	12	17·3	5		
Chirala	43	31	37·5	4	1	14	16·9	4		
Chittoor	45	43	49·9	1	7	8·1	2		
Cuddapah	42	64	79·2	3	1	..	1	35	43·3	6		
Eluru	99	34	17·9	6	..	3	2	37	19·4	12		
Gudivada	36	39	56·3	6	13	18·8	2		
Guntur	147	259	91·7	..	3	..	12	4	5	4	72	25·5	24		
Guntakal	37	34	47·8	2	1	1	..	11	15·5	2		
Kakinada	113	37	17·0	7	2	37	17·0	8		
Kurnool	68	125	95·6	1	1	4	..	24	18·4	7		
Masulipatnam	88	61	36·1	..	1	..	2	14	8·3	7		
Nandyal	37	22	30·9	2	..	2	..	11	15·5	2		
Nellore	95	101	55·2	5	9	2	2	52	28·4	8		
Proddatur	42	32	32·6	2	..	1	..	10	12·4	4		
Rajahmundry	122	99	42·2	..	1	..	4	1	26	11·1	5		
Tenali	67	62	48·1	2	1	23	17·9	6		
Vijayvada†	
Visakhapatnam	128	60	24·4	..	7	..	7	3	7	..	37	15·0	5		
Vizianagaram	75	61	42·3	5	..	3	..	33	22·9	7		
TOTAL	1,429	1,274	46·4	..	12	..	75	25	32	11	505	18·4	125		
Assam															
"N. R."															
Bhopal															
Bhopal	116	62	27·8	4	..	8	..	17	7·6	..		
Bihar															
"N. R."															
Bombay															
Ahmedabad	889	965	56·4	23	21	47	..	352	21·6	121		
Ahmednagar	88	125	73·9	1	2	4	..	30	17·7	10		
Amalner	50	39	40·5	2	..	5	..	11	11·4	..		
Bagalkot	36	26	37·6	2	..	1	1	9	13·0	2		
Baroda	242	226	48·6	13	3	15	2	65	14·0	11		
Barsi	46	48	54·3	4	1	3	..	21	23·7	6		
Belgaum	110	116	54·8	4	2	4	..	24	11·3	6		
Bhusawal	62	28	23·5	4	..	1	..	12	10·1	2		
Bijapur	
Broach	67	72	55·9	1	7	1	1	2	23	17·9	3		
Cambay	41	47	59·6	3	3·8	..		
Challisgaon	35	27	40·1	1	2	2	..	8	11·9	..		
Dharwar	76	38	26·0	10	6·8	1		
Dhulia	89	81	47·3	3	1	16	9·3	1		
Gadag Betageri	71	53	38·8	8	..	7	2	29	21·0	3		
Godra	40	38	49·4	5	..	1	..	9	11·7	1		
Greater Bombay	3,449	2,135	32·2	4	34	114	..	633	9·5	179		
Hubli	148	94	33·0	1	..	4	..	23	8·1	3		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infant Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 29th September, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Bombay—contd.														
Jalgaon	79	29	19.1	4	..	2	1	16	10.5	2	
Kalyan	73	55	39.2	4	1	2	..	18	12.8	4	
Kolhapur	159	117	38.3	3	3	14	..	69	22.6	15	
Malegaon	63	80	66.0	5	..	1	2	11	9.1	3	
Miraj	44	19	22.4	3	2	..	22	25.9	1	
Nadiad	71	91	66.6	16	22	16.1	5	
Nandurbar	35	33	49.0	1	2	7	10.4	2	
Nasik	119	84	36.7	3	4	9	..	26	11.4	3	
Navasari	50	27	28.1	6	10	10.4	3	
Pandharpur	44	48	56.7	7	7	8	..	33	39.0	8	
Patan	47	79	87.4	5	1	4	..	15	16.6	2	
Poona	607	404	34.6	6	6	29	..	116	10.0	37	
Sangli	58	48	43.0	4	2	1	..	19	17.0	..	
Satara	40	33	42.9	2	..	2	..	11	14.3	4	
Sholapur	299	334	58.1	—	20	12	43	..	149	25.9	41	
Surat	250	217	45.1	9	..	16	..	96	20.0	33	
Thana	61	44	37.5	6	1	1	..	16	13.6	4	
TOTAL	7,638	5,900	40.2	1	183	106	343	13	1,934	13.2	516	
Delhi State														
Delhi City	1,124	713	32.9	51	4	18	..	116	5.4	23	
New Delhi	374	353	49.1	2	1	2	..	110	15.3	19	
N.A.C. Civil Station, Delhi	117	127	56.4	4	3	3	..	27	12.0	10	
Delhi Cantt.	50	50	52.0	2	1	5	5.2	2	
Delhi-Shahadara	53	60	58.8	2	..	3	..	6	5.9	1	
TOTAL	1,718	1,303	39.4	61	9	26	..	264	8.0	60	
Madhya Pradesh														
Madras														
Ambur	44	46	54.4	1	1	1	..	12	14.2	6	
Aruppukottai	56	42	39.0	6	7	4	..	25	23.2	5	
Bodinayakanpur	40	24	31.2	2	1	8	10.4	..	
Cannanore	47	24	26.6	4	..	16	18.0	3	
Chidambaram	39	73	97.3	5	6.7	1	
Coimbatore	234	196	43.6	10	14	2	74	16.4	22	
Cuddalore	74	107	75.2	2	4	1	23	16.2	7	
Dindigul	90	44	25.1	5	..	2	1	32	18.3	5	
Erode	67	63	48.9	2	1	1	17	13.2	4	
Gobichetty Palyan	38	7	9.6	1	..	1	..	7	9.6	1	
Guddiyattam	53	36	35.3	1	1	4	..	15	14.7	1	
Kancheepuram	90	71	41.0	3	8	..	36	20.8	6	
Karalkudi	44	27	31.9	1	..	1	..	10	11.8	..	
Karur	50	45	46.8	4	14	14.6	1	
Kozhikode	176	180	53.2	2	3	10	2	90	26.6	16	
Kumbakonam	105	113	56.0	2	27	13.4	4	
Madras	1,703	1,275	38.9	..	3	..	54	83	151	1	580	17.7	154	
Mangalore	136	97	37.0	2	2	6	..	37	14.1	5	
Mathural	427	331	40.3	6	6	28	..	138	16.8	40	
Mayuram †														
Malapalyam	41	14	18.2	4	2	..	13	16.9	7	
Nagapattinam	60	54	46.0	4	2	2	..	20	17.0	5	
Ootacamund	47	41	44.4	4	..	13	14.0	1	
Palni	40	23	29.9	1	3	..	10	13.0	2	

*In cases of towns where there has been an abnormal movement of population, it is likely that the Population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information. "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 29th September, 1956—contd.

Deaths from :—														
Town	Mid.-year Popn.-Est. (000).	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R *	I.D.	
Madras—contd.														
Palayamkottal . . .	45	59	68.2	4	2	2	..	20	23.1	3	
Palghat . . .	77	57	38.5	2	1	4	1	19	12.8	2	
Periyakulam . . .	34	25	38.2	1	3	3	..	15	22.9	3	
Pollachi . . .	51	52	53.0	2	3	..	19	19.4	3	
Pudukottal . . .	50	76	79.0	3	..	3	1	21	21.8	4	
Rajapalayam . . .	69	41	30.9	2	3	3	..	17	12.8	4	
Salem†														
Srirangam . . .	42	44	54.5	2	..	10	12.4	3	
Srivilliputtur†														
Tanjore . . .	118	40	17.6	2	4	3	..	29	12.8	3	
Tellicherry . . .	42	36	44.6	1	..	4	..	22	27.2	5	
Tiruvannamalai . . .	45	67	77.4	1	3	..	16	18.5	4	
Tirunelveli . . .	80	75	48.8	2	3	6	..	28	18.2	7	
Tiruppur . . .	63	59	48.7	3	1	..	16	13.2	4	
Tiruchirapalli . . .	251	106	22.0	1	10	13	4	76	15.7	9	
Tuticorin . . .	111	103	48.3	4	6	22	4	79	37.0	29	
Vaniyambadi . . .	43	22	26.6	1	1	3	..	7	8.5	1	
Vellore . . .	124	145	60.8	2	2	11	..	45	18.9	14	
Villupuram . . .	39	44	58.7	..	3	..	1	2	2	1	15	20.0	4	
Virudunagar . . .	53	91	89.3	2	5	2	..	22	21.6	4	
TOTAL . . .	5,039	4,075	42.1	..	3	..	117	178	340	19	1,698	17.5	402	
Orissa														
Pondicherry														
Pondicherry . . .	68	87	66.5	..	3	..	5	4	2	3	20	15.3	11	
Punjab (I)														
Ambala . . .	65	66	53.1	3	1	6	..	14	11.3	7	
Amritsar . . .	343	231	35.2	2	7	27	2	88	13.4	50	
Batala . . .	62	40	33.7	3	2	1	..	7	5.9	..	
Bhiwani . . .	57	75	68.8	12	2	2	..	23	21.1	1	
Ferozepore . . .	45	31	36.0	1	3	2	..	10	11.6	..	
Hissar . . .	39	42	56.3	5	..	2	..	10	13.4	9	
Hoshiarpur . . .	51	32	32.8	6	6.2	2	
Jullundur . . .	200	141	36.9	7	9	3	..	31	8.1	8	
Karnal . . .	72	45	32.7	3	5	3.6	1	
Ludhiana . . .	176	188	55.9	19	41	12.2	13	
Moga†														
Patilpat . . .	64	49	40.0	4	2	10	8.2	1	
Pathankot . . .	34	24	36.9	2	..	3	..	3	4.6	..	
Rewari . . .	36	28	40.6	5	1	9	13.1	5	
Rohtak†														
Simla†														
Sonipat†														
TOTAL	1,244	992	41.5	66	27	46	2	257	10.7	97	
Uttar Pradesh														
Agra . . .	375	280	39.0	4	8	45	..	99	13.8	38	
Allahabad . . .	349	210	31.5	4	1	18	1	55	8.2	13	
Amroha . . .	61	54	46.3	5	2	4	..	25	21.4	12	
Bahraich . . .	47	18	20.0	1	3	3.3	..	
Banaras . . .	383	334	45.6	50	9	12	1	200	27.3	52	
Ballia . . .	35	13	19.4	2	3.0	2	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 29th September, 1956—*contd.*

		Deaths from :—													
Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.		
Uttar Pradesh—contd.															
Banda	32	17	27·8	1	..	1	..	3	4·9	1		
Bareilly	203	96	24·7	14	6	6	..	37	9·5	18		
Bijnor	32	21	34·3	3	2	8	12·1	4		
Budaun	54	40	38·7	6	15	14·5	6		
Basti †															
Bulandshahr†															
Chandausi	41	46	58·3	2	..	1	..	11	14·0	4		
Dehra Dun	146	91	32·6	1	1	3	1	19	6·8	7		
Etawah	64	58	47·4	5	3	6	..	26	21·2	9		
Faizabad-Ayodhya	88	46	27·3	1	12	7·1	4		
Farrukhabad-Fatehgarh	82	48	30·6	4	1	2	..	16	10·2	6		
Ferozabad	79	86	56·9	5	11	7·3	6		
Ghazlabad	46	44	50·0	5	10	11·4	10		
Ghazipur	36	35	50·8	5	14	20·3	1		
Gorakhpur	140	80	29·9	2	3	12	4·5	3		
Gonda	35	12	17·9	1	4	6·0	1		
Hapur	49	56	59·7	3	1	1	..	11	11·7	4		
Hardwar	64	43	35·1	8	..	3	..	20	16·3	5		
Hathras	62	88	74·2	8	6	4	..	33	27·8	13		
Jaunpur	56	34	31·7	4	..	7	..	15	14·0	1		
Jhansi	116	132	59·5	20	1	32	14·4	10		
Kanpur	734	523	37·2	135	21	48	9	368	26·2	98		
Kasganj	34	11	16·9	5	1	9	13·8	7		
Khurja	41	50	63·8	4	2	1	..	12	15·3	5		
Koll-Aligarh	150	115	40·1	15	4	2	1	32	11·1	7		
Lucknow	494	277	29·3	9	6	7	..	113	12·0	40		
Mathura	110	183	87·0	2	7	6	..	34	16·2	8		
Mau-Nath Bhanjan†															
Meerut	185	118	33·3	10	1	5	1	26	7·3	11		
Mirzapur Vindhyachal	97	67	36·1	4	1	3	..	17	9·2	8		
Moradabad	164	145	46·2	11	6	10	..	55	17·5	8		
Muzaffarnagar	74	43	30·4	5	10	7·1	2		
Pilibhit	45	27	31·4	8	1	1	..	14	16·3	6		
Rampur†															
Saharanpur	162	179	57·8	27	2	47	15·2	18		
Sambhal	65	48	38·6	7	1	1	2	15	12·1	3		
Shahjahanpur	99	49	20·1	5	..	3	..	20	8·2	3		
Sitapur	49	18	19·1	3	1	6	6·4	3		
TOTAL	5,178	3,835	38·5	421	98	200	17	1,471	14·8	457		

West Bengal

"N. R."

STATES—(Part B)

Hyderabad

"N. R."

Jammu & Kashmir

"N. R."

Madhya Bharat

"N. R."

Mysore

Bhadravati†

Bangalore †

Mysore

294	113	20·0
-----	-----	------	----	----	----	----	----	----	----	----	----	----	----	----	----

31	8	13·4	3	5·0	..
----	---	------	----	----	----	----	----	----	----	----	---	-----	----

173	67	20·0	5	4	3	..	24	7·2	2
-----	----	------	----	----	----	---	---	---	----	----	-----	---

78	9	6·0	1	1	13	8·7	1
----	---	-----	----	----	----	----	----	---	---	----	-----	---

69	39	29·4	3	2·3	1
----	----	------	----	----	----	----	----	----	----	---	-----	---

45	9	10·4	1	3·5	..
----	---	------	----	----	----	----	----	----	----	---	-----	----

57	27	24·6	9	1	14	12·8	2
----	----	------	----	----	----	---	---	----	----	----	------	---

TOTAL	747	272	18·9	14	5	4	2	60	4·2	6
------------------------	------------	------------	-------------	-----------	-----------	-----------	-----------	----------	----------	----------	-----------	------------	----------

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 29th September, 1956—contd.

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
P&PSU														
Patiala City	111	85	39.8	14	29	13.6	14	
Malerkotla	34	41	62.7	7	1	11	16.8	1	
Bhatinda	39	46	61.3	6	10	13.3	4	
TOTAL	184	172	48.6	27	1	50	14.1	19	
Rajasthan														
"N.R."														
Travancore-Cochin														
Alleppey	148	112	33.4	2	2	2	1	19	6.7	3	
Changanacherry	41	27	34.2	1	3	3.8	..	
Ernakulam	70	64	47.5	4	2	4	..	32	23.8	7	
Kottayam	50	26	27.0	8	8.3	1	
Mattanchery†														
Nagercoil	94	44	24.3	2	1	12	6.6	1	
Quilon	75	67	46.5	1	..	1	..	16	11.1	3	
Trichur	76	88	60.2	1	5	..	11	7.5	1	
Trivandrum City	218	71	16.9	3	3	..	31	7.4	1	
TOTAL	772	499	33.6	10	9	15	1	132	8.9	17	
Saurashtra														
"N. R."														
ARREARS RETURNS														
for w/e 22-9-56														
Andhra														
Adoni	63	50	41.3	1	1	13	10.7	2	
Anakapalli	46	32	36.2	2	1	1	..	13	14.7	4	
Bhimavaram	36	27	39.0	1	5	7.2	2	
Chirala	43	23	27.8	4	1	..	1	8	9.7	1	
Chittoor	45	38	43.9	2	2	..	1	14	16.2	1	
Cuddapah	42	17	21.0	8	9.9	3	
Eluru	99	37	19.4	6	2	2	..	32	16.8	9	
Gudivada	36	53	76.5	4	8	11.6	5	
Guntur	147	234	82.8	..	1	..	11	3	3	1	46	16.3	12	
Guntakal	37	18	25.3	1	10	14.1	1	
Kakinada	113	37	17.0	12	27	12.4	1	
Kurnool	68	78	50.7	1	1	1	1	23	17.6	4	
Masulipatnam	88	131	77.4	1	2	3	..	42	24.8	15	
Nandyal	37	50	70.3	..	1	..	2	4	2	5	23	32.3	5	
Nellore	95	107	58.5	7	4	2	..	40	21.9	13	
Proddatur	42	29	35.9	3	..	2	..	12	14.9	2	
Rajahmundry	122	71	30.2	7	1	2	..	29	12.4	5	
Tenali	67	73	56.6	1	1	..	10	7.8	5	
Vijayvada	201	132	34.2	..	1	..	10	6	4	..	45	11.7	14	
Visakhapatnam	128	56	22.7	..	2	..	7	3	15	..	40	16.2	7	
Vizianagaram	75	38	26.3	1	3	2	..	18	12.8	4	
TOTAL	1,630	1,331	42.5	..	5	..	83	35	40	9	466	14.9	115	
Madhya Pradesh														
for w/e 18-8-56														
Wardha	46	20	22.6	1	4	4.5	..	
Hingaghat	35	17	25.3	2	..	1	..	9	13.4	..	
for w/e 25-8-56														
Wardha	46	13	14.7	1	2	7	7.9	..	
Hingaghat	35	11	16.3	2	..	1	..	5	7.4	..	
Khamgaon	42	30	37.1	2	3	10	12.4	..	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 29th September, 1956—contd.

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from:—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Madhya Pradesh—contd.				for w/e 1-9-56									
Raigarh	35	20	29.7	1	15	22.3	..
Itarsi	30	22	38.1	1	3	5.2	3
Khamgaon	42	42	52.0	1	8	9.9	..
for w/e 8-9-56													
Itarsi	30	20	34.7	2	3.5	1
Khamgaon	42	35	43.3	1	3	12	14.9	..
Raigarh	35	6	8.9	4	5.9	..
Nagpur	528	222	21.9	25	4	9	..	106	10.4	..
Kamptee	36	25	36.1	2	10	14.4	..
Jabalpur	237	97	21.3	..	1	..	7	2	3	..	24	5.2	..
Sagar	75	56	38.8	3	1	1	..	14	9.7	..
Khandwa	59	26	22.9	4	11	13.2	..
Burhanpur	79	82	54.0	6	..	2	..	16	15.8	..
Bilaspur	40	37	48.2	4	..	2	..	15	19.5	4
Amravati	101	110	36.6	4	..	3	..	19	9.8	..
Akola	104	93	46.5	10	3	27	13.5	5
Yeotmal	41	38	48.2	3	..	1	..	10	12.6	9
TOTAL	1,407	847	31.3	1			69	13	21	..	270	10.0	19
for w/e 15-9-56													
Itarsi	30	38	65.9	4	1	6	10.4	5
Khamgaon	42	40	49.5	1	2	8	9.9	..
for w/e 22-9-56													
Chanda	43	48	58.0	4	11	13.3	..
Itarsi	30	11	19.1	3	1	4	6.9	4
Khandwa	59	26	22.9	1	6	5.3	..
Burhanpur	79	77	50.7	6	1	4	..	19	12.5	..
Bilaspur	40	39	50.6	2	1	9	11.7	..
Amravati	101	120	61.8	5	3	3	2	30	15.4	11
Achalpur	38	42	57.4	2	1	7	9.6	5
Yeotmal	41	33	41.9	9	1	1	..	14	17.8	3
Akola	104	85	42.5	8	2	3	..	26	13.0	4
Khamgaon	42	1	2	6	7.4	..
Total	577	481	43.3	41	12	11	2	132	11.9	27
West Bengal				for w/e 22-9-56									
Asansol†	..	20	31.7
Baidyabati	33	11	8.7	1	2	1.6	..
Bally	66
Bankura†
Bansberia†
Baranagar	90	57	33.1	2	5	..	14	8.1	4
Basirhat	39	13	17.4
Berhampur	64	46	37.6	..	1	..	4	1	1	..	14	11.4	..
Bhadreshwar	34	7	10.8	1	1	..	2	3.1	..
Bhatpara	143	33	12.1	10	2	9	..	33	12.1	6
Budge Budge	32	13	21.3	1	3	4.9	1
Burdwan	82	28	17.9	1	1	..	1	8	5.1	..
Calcutta	2,984	1,642	28.8	1	6	..	43	45	134	4	610	10.7	190
Champadani	41	15	19.1	2	2.6	..
Cooch Behar†
Darjeeling†
English Bazar	36	41	59.5	3	4.4	..
Garden Reach	124	13	5.5	..	3	..	6	..	1	1	19	8.0	5

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 29th September, 1956—*contd.*

Deaths from :—

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<i>for w/e 22-9-56—contd.</i>													
West Bengal—<i>contd.</i>													
Halisahar	41	6	7.7	4	5.1	1
Hooghly-Chinsurah	60	80	69.7	6	3	..	1	16	13.9	5
Howrah	447	180	19.7	..	1	..	5	17	42	..	125	13.7	54
Jalpaiguri†													
Kamarhati†													
Kanchrapara	74	12	8.5	1	..	2	1.4	..
Krishnagar†													
Midnapore	45	38	44.2	2	1	13	15.1	..
Nabadwip	70	37	27.6	10	3	2	1	20	14.9	3
Naihati†													
North Barrackpore	36	7	10.2	1	2	2.9	..
Panihati	65	6	4.8	2	2	2	..	12	9.7	3
Shantipur	49	19	20.3	1	4	4.3	..
Serampore	83	51	32.1	2	5	3	1	16	10.1	6
Siliguri†													
South Dum Dum†													
South Suburban	124	10	4.2	1	..	3	..	13	5.5	4
Titagarh	78	31	20.8	1	14	1	1	1	19	12.7	2
TOTAL	4,970	2,416	25.3	2	11	..	99	85	205	10	956	10.0	284

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D. R.—Death Rate ; I.D.—Infantile Deaths (Included in total deaths) ; .. = Nil information ; "N.R." = Information not received.

REMARKS

The figures of births and deaths shown in this statement for week ending the 29th September, 1956 relate to 175 towns with an estimated population of 24,415 thousands. The total number of towns is 318 and their population is 41,584 thousands. Thus 55% of the total number of towns representing 59% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 18,614 and 6,482 representing birth and death rates of 39.6 and 13.8 per thousand of population respectively.

(a) *States (Part A and C)*:—The data here relate to 157 towns with an estimated population of 22,712 thousands. Information about Assam, Bihar, Madhya Pradesh, Orissa & West Bengal could not be included. The total number of towns is 253 and their population is 33,500 thousands. Thus 62% of the total number of towns

representing 68% of the total population is covered. The number of births and deaths recorded in these towns were 17,671 and 6,240 representing birth rates and death rates of 40.5 and 14.3 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B)*:—The data here relate to 18 towns with an estimated population of 1,703 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 28% of the total number of towns representing 21% of the total population is covered. The number of births and deaths recorded in these towns were 943 and 242 representing birth and death rates of 28.8 and 7.4 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/c 29-9-56		Corresponding w/c last year		Corresponding mean during the previous 5-year period.	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer . . .	26.4	13.6	†	†	45.1	13.9
Andhra . . .	46.4	18.4	39.7	14.6	†	†
Bombay . . .	40.2	13.2	45.3	15.8	39.7	16.5
Delhi . . .	39.4	8.0	43.8	8.6	42.3	17.3
Madras . . .	42.1	17.5	45.7	17.4	†	†
Punjab (I) . .	41.5	10.7	54.3	11.6	44.5	10.7
Uttar Pradesh .	38.5	14.8	47.8	15.8	42.3	18.9
India* . . .	40.5	14.3	45.8	15.2	41.3	17.4

*5 Part 'A' States and 2 Part 'C' States.

†Figures not available.

NEW DELHI-2 (INDIA) ; }
The 22nd October, 1956.

K. MITRA,
for Registrar General, India.

